## APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office. MAH 20 19/2
Returned to applicant for correction
Corrected application filed
Map filed MAR 2 0 1972
The applicant Margarite J. & John J. Barba
of C/o Mecca Club County of Lathrop Wells
State of
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation)
tion; if a copartnership or association, give names of members.)
1 The source of the proposed appropriate in Underground
1. The source of the proposed appropriation is <u>Underground</u> Name of stream, lake or other source.
2. The amount of mater and that the same and
2. The amount of water applied for is 1.30 C.f.S. second-fee One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet
3. The water to be used for <u>Domestic &amp; Irrigation</u> Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:
(a) Irrigation (state number of acres to be irrigated). 54.08
(b) Stockwater (state number and kinds of animals to be watered)
(c) Other use (describe fully under "No. 12. Remarks")
(d) Power:
(1) Horsepower developed
(2) Point of return of water to stream.
5. The water is to be diverted from its source at the following point: Lot 3 (NE SE) Sec. 1.
T.17S., R.48E., M.D.B.&M. or at a point from which the East\(\frac{1}{2}\)  Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
Cor of said Sec. 1 bears N. 29° 41' E 1375.58 ft.
6. Place of use Portion of Lot 3 (NE SE) 8.31 ac - Lot 4 (SE) SE)
Describe by legal subdivision, if on unsurveyed land it should be so stated.  Sec. 1 T.17S. R.48E., M.D.B.&M.
•
••••
7. Use will begin about Jan 1st and end about Dec. 31 , of each year.
Month Month Month  8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans
and specifications of your diversion or storage works.) Drilled well casing motor &
pump - irrigation - sprinkler system  State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

10. Estimated time required to construct works 5 yrs.  11. Estimated time required to complete the application to beneficial use 5 yr.  12. Remarks.  Applicant Margarite J. & John J. Barba  By S/J. V. Casell P. O. Box 103 Tonopah, Nevada	i, agent
11. Estimated time required to complete the application to beneficial use 5 yr  12. Remarks  Applicant Margarite J. & John J. Barba  By S/J. V. Casell P. O. Box 103 Tonopah, Nevada	i, agent
Applicant Margarite J. & John J. Barba  By S/J. V. Casell P. O. Box 103 Tonopah, Nevada	i. agent
Applicant Margarite J. & John J. Barba  By S/J. V. Casell P. O. Box 103 Tonopah, Nevada	i. agent
Applicant Margarite J. & John J. Barba  By S/J. V. Casell P. O. Box 103  Tonopah, Nevada	i. agent
Applicant Margarite J. & John J. Barba  By s/J. V. Casell P. O. Box 103 Tonopah, Nevada	i, agent
Applicant Margarite J. & John J. Barba  By S/J. V. Casell P. O. Box 103 Tonopah, Nevada	i. agent.
By s/J. V. Casell P. O. Box 103 Tonopah, Nevada	
Compared bjg:gs ga/jw Tonopah, Nevada	
APPROVAL OF STATE ENGINEER	
This is to certify that I have examined the foregoing application, and do hereby g	
following limitations and conditions: This permit is issued subject to al source. It is understood that the amount of water herein grant allowance and that the final water right obtained under this pe	ca in our or in the court is a court in the
upon the amount of water actually placed to beneficial use. It	is also understood that
this right must allow for a reasonable lowering of the static w	ater level at permittee'
well due to any other ground water development in the area. A	<u>substantial weir or </u>
other type of measuring device must be installed and measuremen	ts of water use kept.
The well shall be equipped with a 2-inch opening for measuring	depth to water. If
well is flowing, a valve must be installed and maintained to pr	event waste. The
State retains the right to regulate the use of the water herein	
all times.	
The amount of water to be appropriated shall be limited to the amount which can be	
not to exceed 1.3 cubic feet per second but 1	
duty of 5.0 acre-feet per acre of land irrigated from any and/	or all sources.
Actual construction work shall begin on or before	
Proof of commencement of work shall be filed before	ay 2, 1973
Work must be prosecuted with reasonable diligence and be completed on or before. A	pril 2, 1974
Proof of completion of work shall be filed before	ay 2, 1974
Application of water to beneficial use shall be made on or before	pril 2, 1975
Proof of the application of water to beneficial use shall be filed on or before	
Map in support of proof of beneficial use shall be filed on or before	
Commencement of work filed	OLAND D. WESTERGARD ,
Cultural map filed  Certificate No Issued  Recorded  Bk Page  CANCELLED  TOTOCOMPLY WITH THE PROVISIONS OF PERMIT  STATE ENGINEER	State Angineer